### COUNTY OF LOS ANGELES - DEPARTMENT OF MENTAL HEALTH

### OFFICE OF THE MEDICAL DIRECTOR

### 2.6 PARAMETERS FOR DISCHARGE PLANNING FOR OLDER ADULTS

### 02/26/2003

### I. Principle

Within 24 hours prior to discharge, every patient should have a specific structured assessment to determine level of function and associated post-discharge needs.

### II. Process

- A. Discharge assessment and planning should occur in a timely fashion that begins at admission.
- B. Discharge assessment and planning should involve clinicians with appropriate levels of clinical skill, and should involve collaboration and consultation with other individuals and agencies when necessary.
- C. Appropriate input into discharge planning should be sought from the patient, caregivers, outside healthcare providers, and other agencies involved with the welfare of the patient.
- D. The discharge assessment should determine the discharge plan.

## III. All discharge assessments should contain the following elements: (based on history and evaluation at time of impending discharge)

- A. Cognitive level
- B. Psychiatric diagnoses
- C. General medical conditions
- D. General functional level
- E. Neuromotor functional level (assess fall risk, gait balance)
- F. Specific disabilities
- G. Environmental risks assessment (e.g., wandering, driving, fire, sanitation)
- H. Ability to use appliances and services
- I. Ability to manage medication
- J. Ability to obtain services (medical, social, other)
- K. Need for and availability of caregiver support
- L. Financial resources
- M. Legal status (decision making capacity)
- N. Patient wishes
- O. Caregivers wishes (family, providers, agencies)
- P. Communication among caregivers
- Q. Nutritional screening (diet and preferences)
- R. Prognosis

## IV. All discharge assessment should contain the following instruments:

- A. MMSE (Mini-Mental Status Examination, Folstein)
- B. GDS (Geriatric Depression Scale, Yeasavage)

- C. ADL (Activities of Daily Living, Kel, etc)
- D. IADL (Instrumental Activities of Daily Living,)
- E. Get Up and Go Test

# V. Certain patients identified by basic discharge assessment should receive a more detailed discharge assessment, which includes:

- A. Alcohol/Substance Abuse (CAGE, Bush, MAST-G)
- B. Hearing/Vision
- C. Literacy/Language/Speech
- D. Suicide (Lettieri Risk Assessment)

## VI. Discharge plans should share the following features:

- A. Consistent with level of cognitive ability at time of discharge
- B. Consistent with level of functional ability at time of discharge
- C. Address safety issues
- D. Address caregiver needs, skills, and availability
- E. Address fiscal resource issues
- F. Address fundamental guardianship and other legal issues
- G. Address future mental health needs
- H. Address future health needs

### VII. Documentation

- A. All components of discharge assessment and planning should be comprehensively documented in the medical record, including informants, dates, involved individuals and agencies, and assessors.
- B. Copies of the discharge assessment and planning component of the medical record should be available to appropriate individuals and agencies at time of discharge.

		Consistent With	
A COLUMN TO A COLU	G	Discharge plan	Altanuata ulan
Assessment Parameter at Discharge	Score	Yes/No	Alternate plan
Cognitive level MMSE	/30		
Psychiatric diagnosis			
Screen for depression: GDS or	/15		
Screen for substance abuse CAGE or	/4		
Screen for suicidality: Littieri or	High Mod	Low	
Functional level			
ADL	/6		
IADL	/8		
Nutritional Assessment	Adequate Inadequa	ate	
Diet/Preference			
Gait/Balance			
Get up and go	Good Poor		
Risk for falls	High Low		
Safety			
Wandering	Yes No		
Driving	Yes No		
Fire arms	Yes No		
Ability to obtain services in D/C plan:	Good Poor		
Legal, entitlements, health care, mental health care,	Areas of concern:		
medication, socialization, nutrition, in-home assistance,			
transportation, housing			
Other			
Ability to use services in D/C plan:	Good Poor		
Legal, entitlements, health care, mental health care,	Areas of concern:		
medication, socialization, nutrition, in-home assistance,			
transportation, housing Other			
Need for caregiver	77 77		
Availability of caregiver	Yes No Good Poor		
Ability to manage medication per D/C plan			
Coordination of all medications (OTC, herbals)	Good Poor Yes No		
Declaration of Medical Necessity	Yes No	N / A	
Decid a non of Medical Necessity	Not conserved	N/A	
Legal status	Conserved: LPS P	robate	
	w/Dementia power	rs	
	Pending		
Legal Status consistent with discharge plan	Yes No		
Patient' s input	Yes No		
Patient's wishes	Accepts Reject	is .	
Caregiver/family input	Yes No		
Caregiver/family wishes	Accepts Reject	ts .	
Other:			
Disabilities			
Strengths	_		
Prognosis	Good Poor		
Assessment and Input by:			
Psychiatrist Psychiatrist	Yes No		
Primary therapist	Yes No		
PMD/outpatient psychiatrist	Yes No		
		27.14	
Known previous agencies		N/A	
Accepting agencies	Yes No	N/A	nte•